

Adhesive

AT-129.04	\$	25.00
AT-130.04	\$	25.00
ASTM D3121 Tack of Pressure-Sensitive Adhesives by Rolling Ball	\$	25.00
AT-141.06	\$	35.00
ASTM-D3167 Floating Roller Peel Resistance of Adhesives	\$	35.00
ASTM D5040 Ash Content	\$	40.00
ASTM D6004 Determining Adhesive Shear Strength of Carpet Adhesives	\$	40.00
ASTM D3278 Adhesive Flashpoint	\$	50.00
Moisture Resistance Test AT-219.04	\$	50.00
ASTM D903 Peel Strength of Adhesive Bonds	\$	50.00
ASTM-D3165 Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies	\$	75.00
ASTM D903 Peel Strength of Adhesive Bonds (Oxygenated aging)	\$	200.00

Anti-Microbial Tests

AATCC 147 Method Antimicrobial Parallel Streak Method (1st sample)	\$	180.00
AATCC Test Method 100 Assesment of Antimicrobial Finishes on textiles	\$	350.00
AATCC Test Method 174 Part I Qualitative Assessment of Antibacterial Activity on Carpets: Single Streak Method	\$	175.00
AATCC Test Method 174 Part I Qualitative Assessment of Antibacterial Activity on Carpets: Single Streak Method (Additional Sample)	\$	125.00
AATCC Test Method 174 Part II Quantitative Assessment of Antibacterial Activity on Carpets	\$	385.00
AATCC Test Method 174 Part II Quantitative Assessment of Antibacterial Activity on Carpets (Additional Sample)	\$	220.00
AATCC Test Method 174 Part III Antifungal Activity Assessment of Carpet: Mildew and Rot Resistance	\$	175.00
AATCC Test Method 174 Part III Antifungal Activity Assessment of Carpet: Mildew and Rot Resistance (Additional Sample)	\$	125.00
AATCC 30 Antifungal Activity	\$	100.00
Anti-Microbial Washing GSA	\$	75.00
ASTM E2471-05 Seeded-Agar for the Screening Assessment of Antimicrobial Activity In Carpets	\$	400.00
ASTM G21 Fungal Resistance	\$	575.00
ASTM G21 Fungus Resistance (additional sample)	\$	275.00
Bioburden Testing	\$	200.00
Kirby-Bauer Susceptibility Test	\$	200.00

Automotive

ASTM D5587 Tearing Strength	\$	45.00
BMW 3.2.10 Imprint Behavior Without Foam Impression Depth @ 60 Minutes and 24 hours (DIN 54316/EN20 105 A02)	\$	75.00
BMW 3.2.10.2 Tested at 60 degrees C, Impression Depth at 60 minutes and 24 hours	\$	75.00
BMW 3.2.10.3 Tested Wet after 50 Minute Soak, Impression Depth at 60 minutes and 24 hours	\$	75.00
BMW 3.3.1 Abrasion Resistance with Loss of Weight and Change in Color (DIN 53 109 and EN 20 105 A02)	\$	50.00
BMW 3.3.2 Colorfastness to Light (1 cycle Blue Wool \$40, 2 cycles Gray Scale \$80) (ISO 105 B06)	\$	120.00
BMW 3.3.3 Colorfastness to Crocking (wet and dry) (ISO 105 X12)	\$	20.00
BMW 3.3.4 Surface Resistance (DIN 345 T6)	\$	100.00
BMW 3.3.5 Rotting Resistance (VDA 270)	\$	75.00
BMW 3.3.6 Odor Test (VDA 270)	\$	50.00
BMW 3.3.8 Accelerated Soiling after vacuuming and cleaning (PR121.2)	\$	150.00
BMW 3.5.1 Total Thickness (ISO 1765)	\$	30.00

BMW 3.5.2 Total Weight (ISO 8543)	\$	30.00
BMW 3.5.3 Tensile Strength (ISO 13 934 T1)..3.5.4 Ellongation	\$	40.00
BMW 3.5.6 Dimensional Stability (ISO 13 934 T1)	\$	100.00
BMW 6951 680.6 Dimensional Stability	\$	100.00
BMW Environmental BMW PR 303:4	\$	200.00
Burning Behavior	\$	100.00
Change of Climate Test	\$	400.00
Chrysler Cold Cracking 463LB-11-01C	\$	35.00
Chrysler Heat Aging (463LB-13-01)	\$	75.00
Chrysler Humidity/Hot/Cold Cycling 463LB-12-01	\$	100.00
Chrysler LP-463PB Staining	\$	200.00
Chrysler LP 463KB-21-01 Resistance to Bearding & Fuzzing	\$	75.00
Chrysler LP 463LB-10-01 Bond Strength Original, Heat Aged, After Cycling	\$	150.00
Chrysler LP-463KB-22-01 Tuft Lock	\$	35.00
Chrysler LP-463KB-34-01 Chrysler Antimicrobial Milk Test	\$	75.00
Chrysler LP-463KB-37-02 Chrysler Stain Release Test	\$	400.00
Chrysler LP-463KC-01-01B Resistance to Dye Transfer	\$	25.00
Chrysler LP-463KC-019 Resistance to Soiling	\$	50.00
Chrysler LP-463KC-03-01B Water Spotting	\$	25.00
Chrysler LP-463KC-04-01-2A Staining	\$	50.00
Chrysler LP-463KC-04-01-2B Grease Cleanability	\$	25.00
Chrysler LP-463-KC-04-01A Cleanability and Soil Resistance	\$	50.00
Chrysler LP-463KC-04-02 Chrysler Soiling Test 4.3.2 Method 2 Hexapod	\$	150.00
Chrysler LP-463LB-12-01B Resistance to Humidity (Hot and Cold Cycles)	\$	75.00
Chrysler LP-463LB-13-01 Resistance to Heat Aging	\$	25.00
Chrysler LP-46FB-37-03 Chrysler Repellency Test	\$	175.00
Chrysler Pliability 463LB-11-01B	\$	50.00
Daimler Chrysler Battery	\$	1,465.00
FLTM BN 113-01 Cycled Bond Strength	\$	75.00
FLTM BN 113-01 Original Bond Strength	\$	25.00
FLTM BN 113-01 Steamed Bond Strength	\$	35.00
FLTM BN 113-01 Wet Bond Strength	\$	35.00
FLTM BO 131-01/SAE J1351 Odor Assessment	\$	50.00
FLTMBN108	\$	35.00
GM 3028 Abrasion Resistance (3 samples)	\$	135.00
GM 9126P Cleanability	\$	50.00
GM 91433P Resistance to Water Spotting and Salt Staining	\$	25.00
GM 9771P Fiber Degradation	\$	40.00
GM Physical Certification Battery	\$	800.00
GM9070P Flammability (As Received)	\$	50.00
GM9070P Flammability with Aging	\$	75.00
GMW 3232 Flammability with Aging	\$	300.00
GMW3232 Automotive Flammability (Individual Burns)	\$	12.50
Grommet Strength	\$	25.00
HES 6506 5.11.2 Crocking	\$	25.00

HES 6506 5.11.2 Crocking	\$ 25.00
HES C210-00 4.16 Odor Property	\$ 100.00
HES C210-00 4.16 Odor Property	\$ 100.00
HES D6003-99 Flammability (100 hours at 80 C)	\$ 12.50
HES D6003-99 Flammability (50 hours at 80 C)	\$ 12.50
HES D6003-99 Flammability (No Aging)	\$ 12.50
HES D6003-99 Flammability (Preconditioning Aging)	\$ 50.00
HES D6057-00 4.17 Wet Heat Aging	\$ 100.00
HES D6057-00 4.18 Heat Resistance	\$ 50.00
HES D6506 5.8 Flexibility	\$ 95.00
HES D6506 Tuft Bind	\$ 35.00
HES D6506-00 5.11.1 Colorfastness to Washing	\$ 50.00
HES D6507 5.11.1 Colorfastness to Washing	\$ 50.00
HES D6507 Abrasion	\$ 65.00
HES D6507 Resistance to Light (1-10 Samples)	\$ 500.00
HES D6507 Resistance to Light (1-10 Samples)	\$ 500.00
HES D6507-00 4.17 Wet Heat Aging	\$ 100.00
HES D6507-00 4.18 Heat Resistance	\$ 50.00
HES D6601 Colorfastness to Light (1 - 10 samples)	\$ 400.00
Honda Breaking Strength	\$ 45.00
Honda Peel Strength	\$ 50.00
Honda Shoe Wear Resistance Test	\$ 150.00
Honda SW6 Pile Draw Out Strength	\$ 35.00
Jaguar:AN101-01Bleed	\$ 25.00
Jaguar:FLTMBN-105-01	\$ 75.00
Jaguar:FLTMBN-105-03	\$ 65.00
Jaguar:FLTMBN-105Wt	\$ 30.00
Jaguar:FLTMBN-106-01	\$ 15.00
Jaguar:FLTMBN107-01	\$ 30.00
Jaguar:FLTMBN-112-08	\$ 75.00
Jaguar:ISO 105-A02	\$ 75.00
Jaguar:JNS30.21.07Dr	\$ 100.00
Jaguar:JNS30.21.07Wt	\$ 75.00
Lexus 7.1 Mass	\$ 70.00
Lexus 7.10 Flammability (as received and after aging)	\$ 120.00
Lexus 7.12 Odor Analysis (wet and dry)	\$ 50.00
Lexus 7.13 Crocking Method A & B	\$ 30.00
Lexus 7.16 Colorfastness to Light and Light Aging	\$ 450.00
Lexus 7.2 Thickness	\$ 30.00
Lexus 7.3 Tensile Strength (Warp & Weft)	\$ 70.00
Lexus 7.4 Tear Strength (Warp Weft)	\$ 70.00
Lexus 7.5.1 & 7.5.2 Abrasion Stringiness and Tear and Loss	\$ 90.00
Lexus 7.6 Heat Shrinkage	\$ 35.00
Lexus 7.7 Rigidity	\$ 55.00
Lexus 7.8 Tensile Strength After Heating (Warp & Weft)	\$ 55.00

Lexus 7.9 Change in Length between gages (warp & weft)	\$	45.00
Low Temperature Resistance	\$	100.00
MES MN 405 7.12 Pile Draw Out Strength	\$	35.00
MES MN 405 7.15 Pilling & Fuzzing	\$	50.00
MES MN 405 7.22 Colorfastness to Wash	\$	50.00
MES MN 405 7.23.1 Method A-B Colorfastness to Light (1 - 10 samples at 14.1 mj)	\$	400.00
MES MN 405 7.23.1 Method A-B Colorfastness to Light (1 - 10 samples)	\$	500.00
MES MN 405 7.29 Heat Aging of Backing Material	\$	60.00
MES MN 405 7.38 Mildew	\$	50.00
MES MN 405 7.5.1 Tensile & Elongation (Strip Method)	\$	50.00
MES MN 405 7.6.1 Tear Strength Method A	\$	45.00
MES MN 405 Abrasion Resistance Method B-a	\$	45.00
MOBIS Battery of Tests	\$	895.00
MS 210-05 4.3 Heat Cycle Resistance	\$	100.00
MS 210-05 Fading Resistance Test	\$	400.00
MS 300-08 Flammability 10 burns (aged)	\$	125.00
MS 300-08 Flammability 10 burns (as received)	\$	125.00
MS 300-08 Flammability Aging	\$	50.00
MS 300-34 Odor Evaluation	\$	200.00
MS 300-35 Section 4.7 Tuft Lock	\$	35.00
MS 300-35 Section 4.9 Tabor Resistance	\$	55.00
NES 7105.11 Cold Resistance	\$	50.00
NES M0076 Colorfastness to Rubbing	\$	10.00
NES M0076 Colorfastness to Water	\$	35.00
NES M0076 Electrostatic Characteristics Section 18	\$	100.00
NES M0076 Tear Strength	\$	60.00
NES M0076 Tensile Strength	\$	60.00
NES M0076 Yellowing by Nitrogen Oxides Section 17B	\$	100.00
NES M0076.12 Breaking Strength and Elongation	\$	35.00
NES M0076.14 Tuft Bind	\$	25.00
NES M0076.16 Abrasion Resistance	\$	35.00
NES M0076.21 Resistance to Light (1-10 Samples)	\$	400.00
NES M0076.21 Resistance To Light Additional Sample	\$	25.00
NES M0076.25 Thermal Cycle Test	\$	125.00
NES M0076.27 High Temperature Heat Resistance	\$	100.00
NES M0076.32 Water Repellance	\$	35.00
NES M0076.34 Odor Test	\$	50.00
NES M0135 Resistance to Light (1-10 Samples)	\$	400.00
NES M0135 Resistance to Light at 25 mJ (Additional Samples)	\$	32.75
NES M7105 Chemical Resistance	\$	250.00
NEW M0133 Method 2 Chemical Resistance (\$12/chemical)	\$	12.00
Oven Aging Resistance	\$	75.00
Resistance to Salt Staining	\$	25.00
SAAB TESTING:SAAB 1060	\$	50.00
SAAB TESTING:SAAB 1078	\$	50.00

SAAB TESTING:SAAB 211-1	\$	35.00
SAAB TESTING:SAAB 211-2	\$	35.00
SAAB TESTING:SAAB 232	\$	35.00
SAAB TESTING:SAAB 3159	\$	350.00
SAAB TESTING:SAAB 3965	\$	150.00
SAAB TESTING:SAAB 3967	\$	175.00
SAAB TESTING:SAAB 418	\$	105.00
SAAB TESTING:SAAB UVAgging	\$	1,000.00
SAAB TESTING:SAAB1075	\$	40.00
SAAB TESTING:SAAB1076	\$	25.00
SAAB TESTING:SAAB1077	\$	10.00
SAAB TESTING:SAAB1080	\$	40.00
SAAB TESTING:SAAB205	\$	30.00
SAAB TESTING:SAAB220	\$	15.00
SAAB TESTING:SAAB222	\$	30.00
SAAB TESTING:SAAB3770-HA	\$	125.00
SAAB TESTING:SAAB3770-HR	\$	25.00
SAAB TESTING:SAAB3770-M	\$	150.00
SAAB TESTING:SaabMoisAg	\$	350.00
SAE J1530 Resistance to Bearding and Fuzzing	\$	45.00
SAE J1530 Wear Resistance	\$	35.00
SAE J369 Flammability	\$	50.00
SAE J369 Flammability (As Received)	\$	50.00
SAE J369 Flammability (Steam Aging)	\$	75.00
SAE J861 Crocking	\$	15.00
Surface Resistance	\$	100.00
Toyota Procedure Abrasion Resistance of Textile Fabrics Method 4.6	\$	45.00
Toyota Procedure Aging by Moisture and Heating 4.8	\$	65.00
Toyota Procedure Automotive Flammability	\$	50.00
Toyota Procedure Cold Flexibility 4.11	\$	35.00
Toyota Procedure Colorfastness to Light 4.7.2	\$	25.00
Toyota Procedure Colorfastness to Rubbing 4.7.1	\$	15.00
Toyota Procedure Compression & Recovery 4.1	\$	50.00
Toyota Procedure Odor Evaluation 4.10	\$	50.00
Toyota Procedure Pile Weight	\$	70.00
Toyota Procedure PPS 1012 Odor Evaluation	\$	50.00
Toyota Procedure PPS 2023 Resistance to Staining	\$	150.00
Toyota Procedure PPS 4012 Taber Resistance (<5,000 cycles)	\$	45.00
Toyota Procedure PPS 4014 Taber Abrasion	\$	45.00
Toyota Procedure PPS 4015 Colorfastness to Crocking	\$	15.00
Toyota Procedure PPS 4015 Colorfastness to Crocking	\$	15.00
Toyota Procedure PPS 4015 Colorfastness to Laundering	\$	35.00
Toyota Procedure PPS 4015 Colorfastness to Water	\$	35.00
Toyota Procedure PPS 4015 Laundering	\$	35.00
Toyota Procedure PPS 4015 Lightfastness	\$	40.00

Toyota Procedure PPS 4015(B) Colorfastness to Water	\$	35.00
Toyota Procedure PPS 5003 Tear Strength	\$	35.00
Toyota Procedure PPS 5006 Tuft Lock	\$	35.00
Toyota Procedure PPS 5010 Flammability	\$	50.00
Toyota Procedure PPS 5011 Floor Mat Bend Test	\$	100.00
Toyota Procedure PPS 5017 Water Penetration	\$	100.00
Toyota Procedure PPS 5018 Adhesion to Flexible Substrate	\$	35.00
Toyota Procedure PPS 6006 Forward & Reverse Drag Test Method B	\$	150.00
Toyota Procedure PPS 6006 Method A: Rotation Drag Test	\$	250.00
Toyota Procedure Shrinkage Test 4.9	\$	50.00
Toyota Procedure Tearing Strength 4.4	\$	35.00
Toyota Procedure Tensile Strength 4.2	\$	35.00
Toyota Procedure Tensile Strength 4.3 (wet)	\$	35.00
Toyota Procedure Tuft Bind of Pile Floor Coverings 4.5.1	\$	35.00
Toyota Procedure Tuft Bind of Pile Floor Coverings 4.5.2 (wet)	\$	35.00
Toyota Procedure Tuft Bind Of Pile Floor Coverings 4.5.3 (wet and dried)	\$	35.00
Toyota Procedure Yellow Discoloration 4.13	\$	50.00
Toyota Procedure PPS 5001 Tensile Strength & Elongation	\$	35.00
Toyota Procedure PPS 5001 Tensile Strength & Elongation Aging/Conditioning	\$	35.00
TSL 3600g Section 7.13.1 (A) & 7.13.2 (B) Colorfastness to Crocking	\$	20.00
TSL 3600G Toyota Section 7.15 (A) and (B) Colorfastness to Light	\$	400.00
Water Permeability	\$	250.00

Cleaning

C & A Cleaning Chemical Evaluation	\$	600.00
Chemical Safety	\$	50.00
Cleaning Efficacy	\$	500.00
Resoiling Characteristics	\$	600.00
Carpet Spot & Stain Removal CRI Stains	\$	250.00

Colorfastness

3M Stain release	\$	25.00
AATCC 104 Colorfastness to Water Spotting	\$	15.00
AATCC 106 Colorfastness to Sea Water	\$	25.00
AATCC 107 Colorfastness to Water	\$	25.00
AATCC 117 Colorfastness to Heat	\$	35.00
AATCC 129 Colorfastness to Ozone (1 cycle)	\$	15.00
AATCC 129 Colorfastness to Ozone (10 cycles)	\$	200.00
AATCC 129 Colorfastness to Ozone (2 cycles)	\$	30.00
AATCC 129 Colorfastness to Ozone (3 cycles)	\$	45.00
AATCC 129 Colorfastness to Ozone (4 cycles)	\$	60.00
AATCC 129 Colorfastness to Ozone (5 cycles)	\$	75.00
AATCC 129 Colorfastness to Ozone (6 cycles)	\$	90.00

AATCC 129 Colorfastness to Ozone (8 cycles)	\$	120.00
AATCC 138 Shampooing	\$	30.00
AATCC 164 Colorfastness to NO2 (1-2 cycles)	\$	40.00
AATCC 164 Colorfastness to NO2 (3 cycles)	\$	60.00
AATCC 164 Colorfastness to NO2 (4 cycles)	\$	80.00
AATCC 164 Colorfastness to NO2 (5 cycles)	\$	100.00
AATCC 164 Colorfastness to NO2 (6 cycles)	\$	120.00
AATCC 164 Colorfastness to NO2 (7 cycles)	\$	140.00
AATCC 164 Colorfastness to NO2 (8 cycles)	\$	160.00
AATCC 164 Colorfastness to Oxides of Nitrogen (load up fee - up to 40 samples)	\$	300.00
AATCC 165 Colorfastness to Crocking	\$	10.00
AATCC 171 Hot Water Extraction	\$	35.00
AATCC 175 Stain Resistance	\$	25.00
AATCC 175 Stain Resistance w/Taber Abrasion (GSA)	\$	35.00
AATCC 23 Colorfastness to Burnt Gas Fumes (1 cycle)	\$	15.00
AATCC 23 Colorfastness to Burnt Gas Fumes (2 cycles)	\$	30.00
AATCC 23 Colorfastness to Burnt Gas Fumes (3 cycles)	\$	45.00
AATCC 23 Colorfastness to Burnt Gas Fumes (4 cycles)	\$	60.00
AATCC 23 Colorfastness to Burnt Gas Fumes (5 cycles)	\$	75.00
AATCC 23 Colorfastness to Burnt Gas Fumes (6 cycles)	\$	90.00
AATCC 23 Colorfastness to Burnt Gas Fumes (7 cycles)	\$	105.00
AATCC 23 Colorfastness to Burnt Gas Fumes (8 cycles)	\$	120.00
AATCC 6 Colorfastness to Acids and Alkali	\$	25.00
AATCC 8 Color Crocking	\$	10.00
ASTM D1171 Method A Ozone	\$	75.00
Color Match Comparison w/Spectrophotometer ratings	\$	125.00
Colorfastness to Acid/Alkali	\$	40.00
Colorfastness to Ozone (load up fee - up to 30 samples, No ratings)	\$	200.00
Colorfastness to Solvent	\$	35.00
Colorfastness to Steam	\$	35.00
Colorfastness to Wet Cleaning	\$	35.00
DuPont Spot Bleed Test	\$	30.00
NO2- (1-4 SAMPLES) GROUP	\$	60.00
Ozone(109)	\$	30.00
Red Dye after washing	\$	100.00
Resistance to Bleach	\$	35.00
SAE J1861	\$	10.00
SAE J1885(add)	\$	35.00
SAE J1885(group)	\$	350.00
SAE J681	\$	20.00
SAEJ861	\$	25.00
Side Match Comparison via Spectrophotometer and Visual	\$	50.00

CONCRETE

Peel Test	\$	250.00
Puck Test	\$	35.00
Sheer Test	\$	35.00

Construction Analysis

Area Change	\$	10.00
ASTM D5823 Tuft Height of Pile Floor covering	\$	15.00
ASTM D5848 Pile Yarn Weight & Density	\$	85.00
ASTM D5848 Pile Yarn Weight & Density (Unbacked)	\$	25.00
ASTM D5848 Pile Yarn Weight & Density (Vinyl/Urethane)	\$	100.00
ASTM D5848 Pile Yarn Weight & Density (Woven)	\$	200.00
ASTM D5848 Pile Yarn Weight (Vinyl/Urethane)	\$	85.00
ASTM D5848 Pile Yarn Weight-Finished Material Tufted	\$	70.00
ASTM D6859 Pile Thickness	\$	25.00
ASTM D7241 Pile Thickness (Multi-Level)	\$	40.00
Backing Identification	\$	10.00
Backing Thickness	\$	25.00
Backing Thickness	\$	20.00
Backing Weight	\$	25.00
Construction Analysis Battery	\$	200.00
Density	\$	10.00
Gauge	\$	10.00
Latex Weight	\$	85.00
Pile Ends per unit area	\$	10.00
Pile Yarn Assessment (Total Weight,Pile Yarn Weight,Jute Yarn Weight, Poly Weft Yarn,Pick Rate, Pile Height)	\$	200.00
Pile Yarn Assessment (Total Weight,Pile Yarn Weight,Warp Yarn Weight, Weft Yarn lbs/sq meter)	\$	135.00
Pitch	\$	10.00
Rows	\$	10.00
Rug Size	\$	10.00
Secondary Backing Weight	\$	15.00
Serge/Inch	\$	15.00
Sheared Weight/Effective weight	\$	25.00
Stitch Rate	\$	10.00
Total Height	\$	10.00
Total Thickness	\$	10.00
Total Weight	\$	15.00
Tuft Height	\$	15.00
Tuft Length	\$	10.00
Tufts per Square Inch	\$	10.00

CRI TESTING

CRI XRF Vacuum Testing	\$ 1,350.00
CRI In Tank Chemical Testing	\$ 1,200.00
Cleaning Efficacy - In Tank	\$ 600.00
Lightfastness - In Tank	\$ 50.00
Optical Brightener - In Tank	\$ 25.00
pH - In Tank	\$ 25.00
Resoiling - In Tank	\$ 500.00
Soil Removal - In Tank (per Spectrophotometer/AATCC Gray Scale)	\$ 600.00
Recoiling Properties	\$ 500.00
CRI Pre Spray Chemical Testing Battery	\$ 1,200.00
CRI Pres Spray Soil Removal	\$ 600.00
Proposed XRF Extractor Program (Soil Removal, Residual Moisture, Appearance Change)	\$ 1,500.00
XRF Extractor Program: Appearance Change	\$ 200.00
XRF Extractor Program: Residual Moisture	\$ 100.00
XRF Extractor Program: Soil Removal	\$ 1,200.00
Deep Cleaning Systems Evaluation	\$ 2,150.00
Evaluating Cleaning Effectiveness of Carpet Cleaning Processes using XRF techniques	\$ 1,200.00
Determining Resoiling propensity of a cleaned carpet	\$ 500.00
Evaluating Appearance Restoration as a result of deep cleaning per spectrophotomer and AATCC Gray Scale	\$ 50.00
Determining residual moisture as a result of deep cleaning	\$ 100.00
Evaluating surface appearance change due to repeated cleanings	\$ 200.00
Colorfastness assessment of carpet cleaning chemicals	\$ 50.00
Determining the pH of carpet cleaning chemicals	\$ 25.00
Determining the presence of optical brighteners in carpet cleaning chemicals.	\$ 25.00
Vacuum Participation Fee	\$ 1,875.00
XRF Participation Fee	\$ 1,875.00
Soil Removal Geometric Mean	\$ 900.00
XRF Vacuum Testing - Appearance Change	\$ 100.00
Vacuum Efficacy using XRF	\$ 900.00
XRF Vacuum Program	\$ 1,900.00
CRI Spot & Stain Protocol	\$ 800.00
Lightfastness	\$ 50.00
Optical Brighteners	\$ 25.00
pH	\$ 25.00
Resoiling	\$ 200.00
Spot Removal	\$ 500.00

DIN Test Methods

DIN 53-109 Abrasion Resistance w/measurement and color change	\$ 50.00
DIN 53855-3 Total Thickness Including Filament Tie Up	\$ 25.00
DIN 53855-3 Total Thickness	\$ 25.00
DIN 54316 Imprinting Behavior/Visibility of Impression	\$ 45.00
DIN 54325 Pile Yarn Thickness	\$ 25.00

DIN 54345 TI Surface Resistance	\$	120.00
DIN EN 12127 Total Weight Including Filament Tie Up	\$	70.00
DIN EN 12127 Total Weight/Unit (Including all layers)	\$	15.00
DIN EN 20105-A02 Change in color before Aging According to Gray Scale	\$	10.00
DIN EN 20105-A02/PR 121.1 Dirt Sensitivity/Visual Assessment	\$	75.00
DIN EN 29073-1 Primary Backing Fleece	\$	30.00
DIN EN 29073-1 Weight/Unit Area	\$	50.00
DIN EN 388 Puncture Resistance	\$	200.00
DIN EN ISO 105X12	\$	25.00
DIN EN 150 105-B06 Colorfastness to Light	\$	400.00
DIN EN ISO 13 934-1 Breaking Force	\$	50.00
DIN 54325 Pile Layer Weight/Face Weight	\$	70.00
VDA 270 Rotting Resistance	\$	30.00
VDA 270 C3 Odor Testing	\$	50.00
DIN 53377 Dimensional Stability	\$	50.00
DIN 54318	\$	100.00
DIN EN12127 Total Weight per Unit	\$	15.00
DIN EN29073 Weight per Unit Area	\$	25.00
DIN EN 53855-3 Total Thickness Including All Layers	\$	25.00
DIN Scans	\$	300.00

Electrostatic Tests

	\$	-
AATCC 134 Electrostatic Propensity (Step & Scuff)	\$	75.00
AATCC 134 Electrostatic Propensity (Step Test)	\$	75.00
AATCC 134 Electrostatic Propensity (w/wash)	\$	125.00
AATCC 76 Electrical Surface Resistivity	\$	75.00
Electrical Resistance - IBM	\$	75.00
Electrical Resistance-Burroughs	\$	75.00
Electrical Resistivity (IBM/BURROUGHS) ASTM F150 NFPA 99	\$	120.00
ESD -S7.1 Resistive Characterization of Materials	\$	175.00
Static Decay Test Method 4046 Federal Standard 101B	\$	175.00
Static:EOS/ESD	\$	120.00

FHA TESTS

FHA Certification (Cut Pile)	\$	90.00
FHA-1A	\$	90.00
FHA Certification (Loop Pile)	\$	100.00
FHA Certification (Multi-Level)	\$	120.00
FHA-3A	\$	120.00
FHA-4	\$	225.00
Colorfastness to Light & Crocking	\$	20.00
FHA-FIELD	\$	50.00
HUD/FHA UM72a Carpet Cushion Certification	\$	100.00

Fibers and Yarn Analysis

AATCC 20A - Blend Determination	\$	40.00
AATCC Test Method 20 Melting Point	\$	25.00
ASTM D1423 Twist in Yarns (Ply & Single)	\$	30.00
ASTM D1423 Twist in Yarns (Single)	\$	15.00
ASTM D1907 Yarn Number by the Skein Method	\$	20.00
ASTM D2256 Tensile Properties of Yarn	\$	35.00
ASTM D2257 Extractable Matter	\$	50.00
ASTM D2654 Moisture Content & Regain	\$	25.00
ASTM D5104 Shrinkage of fibers	\$	35.00
ASTM D792 Specific Gravity	\$	25.00
DeciTex	\$	20.00
Dye Method	\$	40.00
Fiber Cross Section	\$	25.00
Fiber Cross Section w/Photo	\$	50.00
Fiber Denier	\$	25.00
Fiber Identification- Chemical Solubility	\$	25.00
Filament Count	\$	30.00
Jute Count	\$	20.00
Tensile & Elongation	\$	35.00
Twist Level Estimate	\$	50.00
Yarn Ply	\$	10.00
Yarn Shrinkage (Single Strand Method)	\$	40.00

Flammability

49 CFR 573.30	\$	60.00
ASTM C1166 Flame Propagation	\$	200.00
ASTM D635 Standard Test Method for Rate of Burning and or Extent and Time of Burning of Self Supporting Plastics in a Horizontal Position	\$	175.00
ASTM E 162-02a Test Method for Surface Flammability of Materials Using a RadiantHeat Energy Source	\$	475.00
ASTM E648 Critical Radiant Flux	\$	175.00
ASTM E648 Critical Radiant Flux (New York)	\$	20.00
ASTM E648 Critical Radiant Flux (Non-Carpet Specimen)	\$	200.00
ASTM E648 Critical Radiant Flux (Over Pad)	\$	200.00
ASTM E648 Critical Radiant Flux (Single Specimen Burn)	\$	100.00
ASTM E662 Smoke Density (Flaming & Non-Flaming)	\$	175.00
ASTM E662 Smoke Density (Flaming Only)	\$	100.00
ASTM E84 Steiner Tunnel Test	\$	650.00
BS4790 Hot Metal Nut Test (Fully Adhered)	\$	60.00
BS4790 Hot Metal Nut Test (Loose Laid)	\$	50.00
California 117 Flammability (Upholstery)	\$	210.00
CAN/CGSB-4.2 No. 27.6-M91 Flame Resistance - Methenamine Tablet Test for Textile Floor Coverings	\$	50.00
CFR FF 4-72	\$	150.00

FAA Horizontal Flammability	\$	50.00
FAA Vertical Flammability	\$	75.00
FAA-45	\$	75.00
FMVSS 302 Automotive Flammability	\$	50.00
FMVSS302 Automotive Flammability (Single Burn)	\$	12.50
MIL STD-1180	\$	50.00
ResA.653(16)	\$	1,900.00
Smoke Density (Flaming & Non-Flaming) 4 minute reports	\$	20.00
Surface Flammability (CPSC FF-170)	\$	35.00
Surface Flammability (CPSC FF-170) with part 1630.62, paragraph (d) 'Alternative Washing Procedure'	\$	135.00

Foam & Underlay Tests

AATCC 20A Scrim Content	\$	25.00
Aging	\$	15.00
ASTM D3676 Weight	\$	25.00
ASTM D1667 Compression Force Deflection	\$	40.00
ASTM D1667 Compression Resistance	\$	20.00
ASTM D1667 Compression Set	\$	30.00
ASTM D1667 Density	\$	20.00
ASTM D1667 Total Thickness	\$	15.00
ASTM D1667 Total Weight	\$	25.00
ASTM D1667 Volume Change	\$	25.00
ASTM D2646 Tensile Strength	\$	30.00
ASTM D297 Ash Content	\$	50.00
ASTM D3574 Compression Force Deflection	\$	40.00
ASTM D3574 Compression Resistance	\$	20.00
ASTM D3574 Compression Set	\$	30.00
ASTM D3574 Delamination	\$	25.00
ASTM D3574 Density	\$	20.00
ASTM D3574 Elongation	\$	30.00
ASTM D3574 Indentation Force Deflection & Support Factor	\$	50.00
ASTM D3574 Tensile Strength	\$	30.00
ASTM D3574 Test H Ball Drop Resiliency	\$	50.00
ASTM D3574 Thickness	\$	15.00
ASTM D3574 Weight	\$	25.00
ASTM D3676 Compression Resistance	\$	20.00
ASTM D3676 Compression Set	\$	30.00
ASTM D3676 Density	\$	20.00
ASTM D3676 Die C	\$	30.00
ASTM D3676 Elongation	\$	30.00
ASTM D3676 Indentation Force Deflection	\$	35.00
ASTM D3676 Tear Strength	\$	25.00
ASTM D3676 Tensile Strength	\$	30.00
ASTM D3676 Thickness	\$	15.00

ASTM D395B Compression Set	\$	100.00
ASTM D412 Breaking Load	\$	40.00
ASTM D629 Minimum Synthetic Fiber by Weight	\$	25.00
ASTM D6571 Compression Resistance	\$	50.00
ASTM F36 Compression Set	\$	35.00
ATM D3575 Battery of Tests (Suffix W,G,B,T,D,L,S)	\$	295.00
Compression Deflection Comparison	\$	40.00
GSA FOAM Battery	\$	100.00
Latex Solids	\$	20.00
Mil Thickness	\$	20.00
NALFA 3.3 Compression Resistance	\$	50.00
Percent Latex Bundle Wrap & Penetration	\$	25.00
Urethane Matrix	\$	20.00

Laminate Testing

EN 438-18 Resistance to Cigarette Burns	\$	100.00
NALFA UL 3.3 Compression Resistance	\$	50.00
NALFA3.1 Static Load	\$	150.00
NALFA3.2 Thickness swell	\$	35.00
NALFA3.3 Light resistance	\$	35.00
NALFA3.4 Cleanability	\$	150.00
NALFA3.5 Large Ball Impact	\$	45.00
NALFA3.6 Small Ball Impact	\$	45.00
NALFA3.7 Wear Resistance Taber	\$	100.00
NALFA3.8 Dimensional Tolerances	\$	75.00
NALFA3.9 Castor Chair	\$	200.00

Lightfastness

AATCC 16 Colorfastness to Light (10 AFU)	\$	2.50
AATCC 16 Colorfastness to Light (100 AFU)	\$	25.00
AATCC 16 Colorfastness to Light (1000 AFU)	\$	250.00
AATCC 16 Colorfastness to Light (120 AFU)	\$	30.00
AATCC 16 Colorfastness to Light (130 AFU)	\$	32.50
AATCC 16 Colorfastness to Light (140 AFU)	\$	35.00
AATCC 16 Colorfastness to Light (160 AFU)	\$	40.00
AATCC 16 Colorfastness to Light (180 AFU)	\$	45.00
AATCC 16 Colorfastness to Light (20 AFU)	\$	5.00
AATCC 16 Colorfastness to Light (200 AFU)	\$	50.00
AATCC 16 Colorfastness to Light (2000 AFU)	\$	500.00
AATCC 16 Colorfastness to Light (240 AFU)	\$	60.00
AATCC 16 Colorfastness to Light (260 AFU)	\$	65.00
AATCC 16 Colorfastness to Light (280 AFU)	\$	70.00
AATCC 16 Colorfastness to Light (300 AFU)	\$	75.00

AATCC 16 Colorfastness to Light (300 AFU)	\$ 75.00
AATCC 16 Colorfastness to Light (400 AFU)	\$ 120.00
AATCC 16 Colorfastness to Light (480 AFU)	\$ 100.00
AATCC 16 Colorfastness to Light (500 AFU)	\$ 125.00
AATCC 16 Colorfastness to Light (600 AFU)	\$ 150.00
AATCC 16 Colorfastness to Light (80 AFU)	\$ 20.00
AATCC 16 Colorfastness to Light (Xenon Arc) 40 AFU	\$ 10.00
AATCC 16 Colorfastness to Light (Xenon Arc) 60 AFU	\$ 15.00
ASTM F1514 Measuring Heat Stability of Resilient Flooring by Color Change	\$ 150.00
ASTM F1515 Standard Test Method for Measuring Light Stability of Resilient Vinyl Flooring (1-5 Samples)	\$ 1,050.00
ASTM F1515 Standard Test Method for Measuring Light Stability of Resilient Vinyl Flooring (Additional Sample)	\$ 150.00
Colorfastness to Light/Nissan Method M0135 1-11-2 (1 - 10 samples)	\$ 400.00
DIN 75-202	\$ 35.00
Hyundai Colorfastness to Light (1-10 Samples)	\$ 400.00
ISO 105 B02 Lightfastness	\$ 50.00
Lightfastness:AATCC110	\$ 35.00
Lightfastness:BlueWoolStd	\$ 10.00
NEMA LD3 Colorfastness to Light (Xenon Arc) 72 AFU	\$ 20.00
SAE J1885 Colorfastness to Light (1-5 samples)	\$ 350.00
SAE J2212 Colorfastness to Light (1-5 Samples)	\$ 500.00
Spectrophotometer Readings	\$ 25.00
Volvo STD1026	\$ 50.00

Moisture

ASTM D1037 Water Absorption & Swelling	\$ 75.00
ASTM D570-98 Water Absorption	\$ 50.00
ASTM F1551 Water Permeability of Synthetic Tuft Systems and Permeable Bases, DIN 18-035	\$ 150.00
ASTM D1667 Moisture Absorbency (Column Method)	\$ 50.00
Moisture Comparison	\$ 50.00
ASTM E 96 Water Vapor Transmission (one orientation)	\$ 250.00

Physical Tests

ASTM D1004 Tearing Strength	\$ 40.00
ASTM D1004 Tearing Strength	\$ 40.00
ASTM D1335 Tuft Bind	\$ 25.00
ASTM D1335 Tuft Bind (Wet)	\$ 75.00
ASTM D1682 Breaking Load & Elongation	\$ 25.00
ASTM D1894 Coefficients of Friction of Plastic Sheeting	\$ 50.00
ASTM D2261 Tearing Strength	\$ 35.00
ASTM D2646 Breaking Load & Elongation	\$ 25.00
ASTM D3936 Delamination Strength of Secondary Backing	\$ 25.00
ASTM D3936 Delamination Strength of Secondary Backing (Delamination Strength Exceeds Backing Strength)	\$ 10.00
ASTM D412 Breaking Load & Elongation	\$ 40.00
ASTM D412 Breaking Load & Elongation (Top, Middle, Bottom)	\$ 65.00

ASTM D412 Breaking Load & Elongation w/Modulus	\$	50.00
ASTM D4355 Deterioration of Geotextiles by Exposure to Light	\$	900.00
ASTM D4533 Tearing Strength - Trapezoid Procedure	\$	35.00
ASTM D4632 Breaking Strength and Elongation	\$	35.00
ASTM D5035 Breaking Force & Elongation	\$	35.00
ASTM D5735 Tearing Strength Tongue Procedure	\$	35.00
ASTM D5793 Binding Site Per Unit Area	\$	10.00
ASTM D6004 Determining Adhesive Shear Strength of Carpet Adhesives	\$	40.00
ASTM D624DieC Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers	\$	40.00
ASTM D751 Tearing Strength	\$	35.00
ASTM D828 Tensile Strength	\$	35.00
ASTM-D3165 Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies	\$	75.00
ASTM-D3167 Floating Roller Peel Resistance of Adhesives	\$	35.00
ATM D1042 Linear Dimension	\$	100.00
ATM D4491 Water Permeability of Geotextiles	\$	400.00
Compression & Recovery	\$	45.00
Dimensional Stability (Unrecovered Extension)	\$	65.00
Drag Resistance	\$	60.00
Dynamic Crush	\$	45.00
Edge Ravel	\$	25.00
Federal Test Method 3231 501A Residual Indention	\$	75.00
Heat Aging	\$	15.00
Impact Puncture	\$	50.00
ISO 2094 Thickness Loss Under Dynamic Loading	\$	75.00
ISO 3416 Test Method for Static Load Limit	\$	100.00
ISO-R527	\$	35.00
MIL-DTL-44048H ASTM D5034 Button Pull	\$	35.00
Peel Strength	\$	25.00
PhysicalTest:DynamicLoad	\$	50.00
PhysicalTest:EdgeCurl	\$	75.00
PhysicalTest:EdgeCurl/Doming	\$	25.00
Tenacity	\$	30.00
Trapezoid Tearing Strength	\$	35.00

Rubber Tests

ASTM D2240 Hardness Shore A Durometer	\$	25.00
ASTM D471 Effects of Liquids on Rubber Properties	\$	180.00
ASTM D624DieC Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers	\$	40.00
Compression Set (ISO 813, ASTM D395)	\$	50.00
Density (ISO 1183, Method A/ASTM D297)	\$	100.00
Hardness Change oil exposed	\$	25.00
Hardness, Durameter A (ISO 868, ASTM D2240)	\$	25.00
Heat Aged (ISO 188/ASTM D573, 150± 50 air changes/h. 168 h at 70± 2 C)	\$	100.00
Heat Aged(ISO 188/ASTM D573, 150± 50 air changes/h. 1000 h at 70± 2 C)	\$	630.00

Ozone Resistance (FLTM BP 101-01, Procedure A)	\$	200.00
Tear Strength (ISO 34, ASTM D624)	\$	40.00
Tensile Strength (ASTM D412)	\$	50.00

Soiling

ASTM D 6540 Accelerated Soiling of carpet	\$	100.00
ASTM D 6540 Accelerated Soiling of carpet with Cleaning per AATCC 171	\$	125.00
Accelerated Soiling w/Spectrophotometer Ratings	\$	125.00

Sound Testing

ATM D423-02a Standard Test Method for Sound Absorption and Sound Absorption Coefficients by the Reverberation Room Method	\$	950.00
ASTM E2179 Standard Test Method for Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission	\$	1,050.00
ATM E90 Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements	\$	1,150.00
ATM E492 Measurement of Impact Sound Transmission	\$	1,100.00

Special Services/ Consultation

Consultation In Laboratory (\$300/person/hour)	\$	300.00
Consultation in Field (\$2250/person/day+expenses)	\$	2,250.00
Minimum Court Fee	\$	1,000.00
Deposition (\$300 per hour)	\$	300.00
Rush Fee	\$	50.00

Staining

AATCC 137-02 Rug Back Staining on Vinyl Tile	\$	30.00
AATCC 137(Aging)	\$	150.00
ATM D543 Resistance to Plastics to Chemicals	\$	400.00
British Spill	\$	50.00
Honeywell Red Fade Test	\$	25.00
Resistance to Staining - Blood	\$	25.00
Resistance to Staining-Coffee	\$	25.00
Resistance to Staining - Commercial	\$	125.00
Resistance to Staining - Residential	\$	100.00
Resistance to Staining Solvent	\$	100.00
Resistance to Staining-Urine	\$	25.00
Resistance to Staining-Water	\$	100.00
Staining Analysis (Dog & Cat Feces and Urine)	\$	600.00
Staining Analysis (Dog & Cat Feces)	\$	600.00
Stained Carpet Panels	\$	100.00
Staining Coffee Cola Tea	\$	50.00

Traffic And Performance

ASTM D6119 Accelerated Floor Trafficking (Additional Ratings 5,000, 10,000 and 15,000 cycles)	\$ 30.00
ASTM D6119 Accelerated Floor Trafficking (Additional Ratings)	\$ 10.00
ASTM D6119 Accelerated Floor Trafficking (100,000 cycles)	\$ 1,000.00
ASTM D6119 Accelerated Floor Trafficking (10,000 cycles)	\$ 100.00
ASTM D6119 Accelerated Floor Trafficking (15,000 cycles)	\$ 125.00
ASTM D6119 Accelerated Floor Trafficking (20,000 cycles)	\$ 200.00
ASTM D6119 Accelerated Floor Trafficking (40,000 cycles)	\$ 400.00
ASTM D6119 Accelerated Floor Trafficking (5,000 cycles)	\$ 50.00
ASTM D6119 Accelerated Floor Trafficking (60,000 cycles)	\$ 600.00
ASTM D6119 Accelerated Floor Trafficking (80,000 cycles)	\$ 800.00
ContractWalk:PivotPoint	\$ 150.00
ASTM D5252 Hexapod Walker (12,000 cycles)	\$ 100.00
ASTM D5252 Hexapod Walker (24,000 cycles)	\$ 200.00
ASTM D5252 Hexapod Walker (4,000 cycles)	\$ 75.00
ASTM D5252 Hexapod Walker (5,000 cycles)	\$ 85.00
ASTM D5252 Hexapod Walker (8,000 cycles)	\$ 85.00
ASTM D5252 Hexapod Walker (Additional Ratings)	\$ 10.00
Vettermann Drum (12,000 cycles)	\$ 75.00
Vettermann Drum (22,000 cycles)	\$ 100.00
Vettermann Drum (44,000 cycles)	\$ 200.00
Vettermann Drum (5,000 cycles)	\$ 50.00
Vettermann Drum Additional Ratings	\$ 10.00
Golf Spike 100,000 Cycles	\$ 125.00
Golf Spike Resistance (25,000 cycles)	\$ 75.00

Turf Testing

ASTM D 1335 Tuft Bind	\$ 25.00
ASTM D 1682 Breaking Load	\$ 25.00
ASTM D 2256 Tensile Properties of Yarn	\$ 35.00
ASTM D 2859 Surface Flammability	\$ 35.00
ASTM D 3936 Delamination of secondary backing	\$ 25.00
ASTM D 5034 Tear Strength	\$ 25.00
ASTM D 5848 Pile Weight	\$ 70.00
ASTM D 5848 Pile Weight (uncoated)	\$ 25.00
ASTM D1577 Linear Density of yarn	\$ 35.00
ASTM F 1292 Impact Attenuation Single Temperature	\$ 275.00
ASTM F 1292 Impact Attenuation Three Temperature	\$ 750.00
GMAX ASTM F 355 Method A	\$ 250.00
Specific Gravity ASTM D792	\$ 35.00
Water Permeability ASTM F1551	\$ 150.00

Vacuum Tests

Carpet Cleaning Testing Program (Accelerated Resoiling)	\$ 500.00
Carpet Cleaning Testing Program (Cleaning Efficacy)	\$ 1,500.00
Carpet Cleaning Testing Program (Colorfastness Properties (AATC 16E-lightfastness, AATCC 129-Ozone, AATCC 164-NO2))	\$ 475.00
Carpet Cleaning Testing Program (Surface Appearance Change)	\$ 200.00
Cleaning Efficacy (Cleaning Technology Assessment)	\$ 600.00
Colorfastness Safety	\$ 500.00
Multi-Pass Performance Assessments	\$ 300.00
Repairable Particulate Testing	\$ 1,200.00
Standard Laboratory Practice for Evaluation of Carpet Cleaning Effectiveness of Residential/Commercial Cleaning Equipment, Chemistries and Technology (includes: Cleaning Efficacy, Colorfastness, Soil Retention, and Vacuum Efficiency)	\$ 2,300.00
Standard Laboratory Practice for Quantifying Respirable Particulate Emissions Generated by Residential/Commercial Vacuums and Central Vacuum Systems	\$ 1,200.00
Standard Laboratory Practice for Surface Appearance Change	\$ 200.00
Standard Laboratory Test Practice for Evaluation of Carpet Dirt Removal Effectiveness of Household/Commercial and Central Vacuum Cleaners	\$ 600.00
Vacuum Cleaner Testing Program (Complete Battery per CRI Green Label Vacuum Cleaner Indoor Air Quality Protocol)	\$ 2,000.00
Vacuum Efficiency (per substrate)	\$ 300.00
Vacuum Efficiency Removal/Emissions Analysis/Appearance Change (CRI)	\$ 1,350.00
Vacuum Emissions	\$ 1,012.50
Vacuum Emissions (Single Test)	\$ 667.00
VacuumDurab	\$ 500.00
VacuumDurab:CleanEffic	\$ 1,500.00
VacuumDurab:SoilPartRet	\$ 100.00

Vinyl Tests

AATCC 134 Electrostatic Propensity	\$ 75.00
AATCC 16 E Colorfastness to Light Xenon	\$0.25/AFU
ASTM C 1028 Coefficient of Friction	\$ 75.00
ASTM D 2047 Slip Resistance	\$ 200.00
ASTM D 2240 Shore Hardness	\$ 25.00
ASTM D 3389 Taber Abrasion DHRP (up to 5,000 cycles)	\$ 45.00
ASTM D412 Tensile and Elongation	\$ 40.00
ASTM F 137 Flexibility of Resilient Flooring	\$ 95.00
ASTM F 142/FTM 501A Indentation Resistance	\$ 75.00
ASTM F 150/ IBM/Burroughs/ NFPA 99	\$ 120.00
ASTM F 1514 Heat Stability	\$ 150.00
ASTM F 1515 Light Stability 100,200,300,400 AFU	\$ 1,050.00
ASTM F 1861 Wall Base Dimensional Stability	\$ 100.00
ASTM F 1914 Short Term Indentation	\$ 100.00
ASTM F 2421 Measuring Resilient Floor planks	\$ 50.00
ASTM F 373 Embossed Depth of Resilient Flooring	\$ 50.00
ASTM F 386 Thickness of Flat Surface Flooring	\$ 25.00
ASTM F 387 Thickness of resilient flooring with foam	\$ 25.00
ASTM F 410 Wear Layer Thickness	\$ 25.00
ASTM F 511 Quality of Cut Joint Tightness	\$ 75.00
ASTM F 536 Size of resilient Flooring by Dial Gauge	\$ 50.00

ASTM F 540 Squareness of Flooring by Dial Gauge	\$	50.00
ASTM F 925 Chemical Resistance	\$	200.00
ASTM F 970 Static Load (up to 1500 psi)	\$	100.00
ASTM F-142 Indentation	\$	100.00
ASTM F1861 Wall Base Staining	\$	75.00
ASTM F2055 Size and Squareness	\$	75.00
ASTM F2199 Dimensional Stability	\$	75.00
ASTM F924 Resistance to Puncture	\$	125.00
ASTM F924 Resistance to Puncture of Cushioned Resilient Floor Coverings	\$	75.00
ESD S7.1 Resistivity	\$	175.00
F 1037 Visual Rating for in service traffic	\$	400.00
F 1265 Resistance to Impact	\$	100.00
F 1304 Deflection of Resilient Floor tile	\$	75.00
FTM 101B Method 4046 Static Decay	\$	175.00

Wear & Performance

CCTI T 114End Supported Beam Strength	\$	35.00
3M Oil and Water Resistance	\$	30.00
Aachen Test	\$	75.00
Aachen w/Edge Curl	\$	100.00
AATCC 118 Oil Repellency	\$	45.00
AATCC 61	\$	75.00
ASTM C1028 Static Coefficient of Friction	\$	75.00
ASTM C1028 Static Coefficient of Friction (Wet & Dry)	\$	120.00
ASTM C518 Thermal Properties	\$	325.00
ASTM D 1894 Static and Kinetic Coefficient of Friction of Sheetting Materials	\$	100.00
ASTM D2047 James Machine - Coefficient of Friction on Flooring Material	\$	200.00
ASTM D3389 Abrasion Resistance	\$	45.00
ASTM D3884 Abrasion Resistance (10,000 cycles)	\$	45.00
ASTM D3884 Abrasion Resistance (10,500 cycles)	\$	46.00
ASTM D3884 Abrasion Resistance (102,000 cycles)	\$	229.00
ASTM D3884 Abrasion Resistance (11,000 cycles)	\$	47.00
ASTM D3884 Abrasion Resistance (12,000 cycles)	\$	49.00
ASTM D3884 Abrasion Resistance (12,500 cycles)	\$	50.00
ASTM D3884 Abrasion Resistance (13,000 cycles)	\$	51.00
ASTM D3884 Abrasion Resistance (14,000 cycles)	\$	53.00
ASTM D3884 Abrasion Resistance (14,500 cycles)	\$	54.00
ASTM D3884 Abrasion Resistance (15,000 cycles)	\$	55.00
ASTM D3884 Abrasion Resistance (16,000 cycles)	\$	57.00
ASTM D3884 Abrasion Resistance (16,500 cycles)	\$	58.00
ASTM D3884 Abrasion Resistance (17,000 cycles)	\$	59.00
ASTM D3884 Abrasion Resistance (17,500 cycles)	\$	60.00
ASTM D3884 Abrasion Resistance (18,000 cycles)	\$	61.00
ASTM D3884 Abrasion Resistance (18,500 cycles)	\$	62.00

ASTM D3884 Abrasion Resistance (19,000 cycles)	\$	63.00
ASTM D3884 Abrasion Resistance (20,000 cycles)	\$	65.00
ASTM D3884 Abrasion Resistance (21,000 cycles)	\$	67.00
ASTM D3884 Abrasion Resistance (22,000 cycles)	\$	69.00
ASTM D3884 Abrasion Resistance (22,500 cycles)	\$	70.00
ASTM D3884 Abrasion Resistance (23,000 cycles)	\$	71.00
ASTM D3884 Abrasion Resistance (24,000 cycles)	\$	73.00
ASTM D3884 Abrasion Resistance (24,500 cycles)	\$	74.00
ASTM D3884 Abrasion Resistance (25,000 cycles)	\$	75.00
ASTM D3884 Abrasion Resistance (26,000 cycles)	\$	77.00
ASTM D3884 Abrasion Resistance (27,000 cycles)	\$	79.00
ASTM D3884 Abrasion Resistance (28,000 cycles)	\$	81.00
ASTM D3884 Abrasion Resistance (29,000 cycles)	\$	83.00
ASTM D3884 Abrasion Resistance (32,000 cycles)	\$	89.00
ASTM D3884 Abrasion Resistance (35,000 cycles)	\$	95.00
ASTM D3884 Abrasion Resistance (37,000 cycles)	\$	99.00
ASTM D3884 Abrasion Resistance (38,000 cycles)	\$	101.00
ASTM D3884 Abrasion Resistance (40,000 cycles)	\$	105.00
ASTM D3884 Abrasion Resistance (5,500 cycles)	\$	36.00
ASTM D3884 Abrasion Resistance (50,000 cycles)	\$	125.00
ASTM D3884 Abrasion Resistance (6,000 cycles)	\$	37.00
ASTM D3884 Abrasion Resistance (6,500 cycles)	\$	38.00
ASTM D3884 Abrasion Resistance (60,000 cycles)	\$	145.00
ASTM D3884 Abrasion Resistance (7,000 cycles)	\$	39.00
ASTM D3884 Abrasion Resistance (7,500 cycles)	\$	40.00
ASTM D3884 Abrasion Resistance (75,000 cycles)	\$	175.00
ASTM D3884 Abrasion Resistance (8,000 cycles)	\$	41.00
ASTM D3884 Abrasion Resistance (8,500 cycles)	\$	42.00
ASTM D3884 Abrasion Resistance (9,000 cycles)	\$	43.00
ASTM D3884 Abrasion Resistance (9,500 cycles)	\$	44.00
ASTM D3884 Abrasion Resistance 5,000 cycles or less	\$	35.00
ASTM D3884 Abrasion Resistance 5,000 cycles or less w/measurement	\$	45.00
ASTM D3884 Abrasion Resistance 55,000 cycles	\$	135.00
ASTM D4060 Abrasion Resistance w/weight loss (less than 5,000 cycles)	\$	45.00
ASTM D4828 Washability of Organic Coatings	\$	200.00
ASTM D5034 Breaking Load	\$	35.00
ASTM D5252 Hexapod Walker (12,000 cycles)	\$	100.00
ASTM D5252 Hexapod Walker (24,000 cycles)	\$	200.00
ASTM D5252 Hexapod Walker (4,000 cycles)	\$	75.00
ASTM D5252 Hexapod Walker (5,000 cycles)	\$	85.00
ASTM D5252 Hexapod Walker (8,000 cycles)	\$	85.00
ASTM D5252 Hexapod Walker (Additional Ratings)	\$	10.00
ASTM D6540-00 (Z8114Z) Standard Test Method for Accelerated Soiling of Pile Yarn Floor Covering	\$	75.00
ASTM F137 Flexibility	\$	95.00
ASTM F142 Indentation of Resilient Floor Coverings	\$	100.00

ASTM F1914 Residual Indentation	\$	100.00
ASTM F2055-00 Test Method for Size and Squareness of Resilient Floor Tile by Dial Gage Method	\$	75.00
ASTM F2199 Dimensional Stability	\$	75.00
ASTM F355 Specification for Impact Attenuation	\$	400.00
ASTM F373 Embossed Depth of Resilient Floor Coverings	\$	50.00
ASTM F386 Total Thickness of Resilient Floor	\$	25.00
ASTM F410 Wear Layer Thickness	\$	25.00
ASTM F536 Test Method fo Size of Resilient Floor Tile by Dial Gage Method	\$	50.00
ASTM F540 Test Method for Size and Squareness of Resilient Floor Tile	\$	50.00
ASTM F925 Resistance to Chemicals (5 min and 24 hours)	\$	200.00
ASTM F925 Resistance to Chemicals (Kaiser)	\$	200.00
ASTM F970 Static Load Limit	\$	100.00
ATM D3884 Abrasion Resistance (200,000 cycles)	\$	425.00
ATM F511Test Method for Quality of Cut	\$	75.00
Basketball Rebound Test	\$	75.00
British Spill Test	\$	50.00
BS6659w/o	\$	100.00
BS6659w/under	\$	100.00
BS7131	\$	100.00
CCTI Composite Tube Summary	\$	150.00
CCTI T 108 Side to Side Crush	\$	30.00
DimChange	\$	175.00
EN 669 Dimensional Stability	\$	60.00
EN13329	\$	35.00
EN13329add	\$	3.00
Golf Spike 100,000 Cycles	\$	125.00
Golf Spike Resistance (25,000 cycles)	\$	75.00
Gurney Roll Resistance	\$	150.00
Heel Impact	\$	25.00
ISO TR 10361 Method A & B: Produciton of changes in appearance by means of Vettermand Drum and Hexapod Tumbler Tester	\$	200.00
ISO TR 4918 Castor Chair Test (20,000 cycles)	\$	250.00
ISOTR9405	\$	100.00
JCP-PP06-0902 Coefficient of Friction of Skid Resistant Materials	\$	75.00
LF 475a: Diminesional Stability	\$	50.00
MIL-C-44296A Bond Strength Procedure 4.3.1.1	\$	45.00
Odor Analysis	\$	40.00
Odor Analysis GME 60-276	\$	50.00
Odor Evaluation: Cat Urine	\$	50.00
Odor Evaluation: Dog Urine	\$	50.00
Phillips Roll Chair (10,000 cycles)	\$	200.00
Phillips Roll Chair (20,000 cycles)	\$	250.00
Phillips Roll Chair (25,000 cycles)	\$	275.00
Phillips Roll Chair (5,000 cycles)	\$	100.00
Phillips Roll Chair (50,000 cycles)	\$	400.00
Phillips Roll Chair 100K	\$	650.00

Phillips Roll Chair 200K	\$ 1,150.00
Phillips Roll Chair 30K	\$ 250.00
Phillips Roll Chair 35K	\$ 325.00
Pilling & Fuzzing Resistance	\$ 40.00
Roll Resistance - Roller Blades	\$ 100.00
SAE J1351 Odor Analysis	\$ 50.00
SAE J200 Tear Strength	\$ 70.00
SAE J681 Colorfastness to Rubbing	\$ 25.00
SAE J883 Dimensional Stability	\$ 50.00
SAEJ860	\$ 25.00
Seam Sealer Breaking Load	\$ 25.00
Shrinkage Test per DDD-C-0095A	\$ 30.00
SimFloorEffic	\$ 50.00
SimFir-12K	\$ 75.00
SimFir-24K	\$ 100.00
SimFir-3K	\$ 30.00
SimFir-6K	\$ 65.00
StaticLoadRes	\$ 125.00
StrucInt(hum)	\$ 75.00
StrucIntWater	\$ 75.00
Tetrapod Walker (500,000 cycles)	\$ 150.00
Tetrapod100K	\$ 50.00
Tetrapod25K	\$ 25.00
Tetrapod300K	\$ 100.00
Tetrapod50K	\$ 35.00
Tetrapod5K	\$ 35.00
Velcro Roller Test	\$ 25.00
Vettermann Drum (12,000 cycles)	\$ 75.00
Vettermann Drum (22,000 cycles)	\$ 100.00
Vettermann Drum (44,000 cycles)	\$ 200.00
Vettermann Drum (5,000 cycles)	\$ 50.00
Vettermann Drum Additional Ratings	\$ 10.00
Water Penetration by Impact (1,000 cycles)	\$ 48.00
Water Penetration by Impact (1,100 cycles)	\$ 50.00
Water Penetration by Impact (1,200 cycles)	\$ 52.00
Water Penetration by Impact (1,400 cycles)	\$ 56.00
Water Penetration by Impact (1,500 cycles)	\$ 58.00
Water Penetration by Impact (1,700 cycles)	\$ 62.00
Water Penetration by Impact (1,800 cycles)	\$ 64.00
Water Penetration by Impact (10,000 cycles)	\$ 228.00
Water Penetration by Impact (100 cycles)	\$ 30.00
Water Penetration by Impact (2,000 cycles)	\$ 68.00
Water Penetration by Impact (2,250 cycles)	\$ 73.00
Water Penetration by Impact (2,300 cycle)	\$ 74.00
Water Penetration by Impact (2,500 cycles)	\$ 78.00

Water Penetration by Impact (20,000 cycles)	\$ 428.00
Water Penetration by Impact (200 cycles)	\$ 32.00
Water Penetration by Impact (3,000 cycle)	\$ 88.00
Water Penetration by Impact (3,200 cycles)	\$ 92.00
Water Penetration by Impact (3,200 cycles)	\$ 88.00
Water Penetration by Impact (300 cycles)	\$ 34.00
Water Penetration by Impact (4,000 cycle)	\$ 98.00
Water Penetration by Impact (4,500 cycles)	\$ 118.00
Water Penetration by Impact (4,800 cycles)	\$ 124.00
Water Penetration by Impact (400 cycles)	\$ 36.00
Water Penetration by Impact (5,000 cycles)	\$ 128.00
Water Penetration by Impact (5,500 cycles)	\$ 138.00
Water Penetration by Impact (500 cycles)	\$ 38.00
Water Penetration by Impact (6,100 cycles)	\$ 150.00
Water Penetration by Impact (6,500 cycles)	\$ 158.00
Water Penetration by Impact (600 cycles)	\$ 40.00
Water Penetration by Impact (7,000 cycles)	\$ 168.00
Water Penetration by Impact (700 cycles)	\$ 42.00
Water Penetration by Impact (8,000 cycles)	\$ 188.00
Water Penetration by Impact (8,200 cycles)	\$ 192.00
Water Penetration by Impact (800 cycles)	\$ 44.00
Water Penetration by Impact (900 cycles)	\$ 46.00
Water Retention	\$ 25.00
WaterImp	\$ 50.00
Wheel Chair Resistance	\$ 75.00

Walk Off Mat Tests

Heat Resistance	\$ 100.00
Mat Movement	\$ 200.00
Total Mat Weight	\$ 40.00
Oil Resistance	\$ 75.00
Water Retention	\$ 25.00
Coefficient of Friction D 1894	\$ 120.00

Wood Flooring

ASTM C 518 Thermal Resistance	\$ 440.00
ASTM D 1037 Linear Variation in Moisture	\$ 75.00
ASTM D 1037 Water Absorption and Swelling	\$ 75.00
ASTM D 2047 James Machine COF	\$ 200.00
ASTM D 2394 Ball Drop - Determines plank hardness comparison	\$ 75.00
ASTM D 2793 Block Resistance	\$ 40.00
ASTM D 3023 Stains of Factory Applied Coatings	\$ 225.00
ASTM D 3330 Adhesion	\$ 40.00
ASTM D 3359 Finish Adhesion Tape Testing	\$ 50.00

ASTM D 4060 Taber Abrasion- abrasive wheels determines wear layer		\$ 45.00
ASTM D2793 Block Resistance		\$ 35.00
ASTM D3459 Humid Dry Cycling	Determines quality of finish, dimensional stability, ply adhesion, engineered stresses	\$ 100.00
ASTM F2117 Vertical Rebound		\$ 75.00
Veneer Thickness by Microscopy		\$ 25.00
Wear Layer Thickness by Microscopy		\$ 25.00

XRF Technology

XRF Technology:TiO2		\$ 100.00
Repeated Soiling and Cleaning Efficacy Study Encapsulation process and chemicals vs Hot Water Extraction process and chemicals		\$ 100.00
XRF Soiled Residential Cut Pile Samples		\$ 50.00
XRF Soiled Residential Loop Pile Samples		\$ 50.00
XRF Technology Geometric Mean		\$ 900.00
XRF Soiled Residential Samples		\$ 100.00