

## Airlines and Miscellaneous Tests

BMS 80286C Coefficient of Friction	Call For Quote
BSS 7239 Toxic Gas Analysis	Call For Quote
BSS 7310 Shrinkage	Call For Quote
BSS 7311 Static Test	Call For Quote
FAA (FAR 25.793) Coefficient of Friction	Call For Quote
FAA (FAR 25.853) Horizontal Flammability	\$ 50.00
FAA (FAR 25.853) Vertical Flammability	\$ 75.00
FAA-45	\$ 75.00

16 CFR part 1631 Flammability of Mattresses & Mattress Pads	Call For Quote
30 CFR part 18.65 Flammability of Conveyor Belting & Hose	Call For Quote
ASTM C1104M-06 Water Vapor Sorption	Call For Quote
ASTM C542 -05 Specification for Lock-Strip Gaskets	Call For Quote
ASTM F793-10 Standard Classification of Wallcovering	Call For Quote
BN 112-08 Cleanability	\$ 50.00
Calibration of Gauge Blocks	\$ 100.00
CCC-W-408D Wall Covering	Call For Quote
CCTI Composite Tube Summary	\$ 150.00
CCTI T 108 Side to Side Crush	\$ 30.00
CCTI T 114End Supported Beam Strength	\$ 35.00
CoreWeight	\$ 17.50
CPAI-84 Flammability of Tent Fabric	Call For Quote
Deposition (\$300 per hour)	\$ 300.00
EN13329	\$ 35.00
Flashpoint	\$ 40.00
GCMS Gas Chromatographic Mass Spectrometer Base Scan	Call For Quote
ICP Scans	\$ 250.00
Iso 2493: 1992 Paper & Board-Determination of Resistance	\$ 50.00
ISO 811	\$ 330.00
ISO 911 - add	\$ 100.00
ISO-R527	\$ 35.00
ISOTR9405	\$ 100.00
Joint Strength Test IRB Rule 22	\$ 45.00
Mil Thickness	\$ 20.00
MIL-C-44296A Bond Strength Procedure 4.3.1.1	\$ 45.00
MIL-DTL-44048H ASTM D5034 Button Pull	\$ 35.00
MIL-W-5044C Coefficient of Friction	Call For Quote
Puppy Pad Analysis	\$ 215.00
XRF Scans- Determination of Metals	\$ 50.00
Odor Evaluation: Cat Urine	\$ 50.00
Odor Evaluation: Dog Urine	\$ 50.00
Puck Test	\$ 35.00
ResA.653(16)	\$ 1,900.00
UFAC Upholstery Fabric Testing	Call For Quote

ASTM D5570 Water Resistance	\$ 50.00
ASTM D3652 Thickness	\$ 30.00
ASTM D3654 Holding Power	\$ 75.00
ASTM D3759 Elongation	\$ 20.00

ASTM D3759 Tensile Strength ( Cross Direction)	\$ 20.00
ASTM D3759 Tensile strength ( Machine Direction)	\$ 20.00
49 CFR 573.30	\$ 60.00
Aging	\$ 15.00
ASME A17.1a, Rule 204.2a	Call For Quote
ASTM 737 Air Permeability :	\$ 150.00
ASTM C1028-07e1 Coefficient of Friction	\$ 75.00
ASTM C1028-07e1 Static Coefficient of Friction (Wet & Dry)	\$ 120.00
ASTM C518-04 Thermal Resistance	\$ 440.00
ASTM D1894-08 Static and Kinetic Coefficient of Friction of Sheetting Materials	\$ 100.00
ASTM D2047-04 James Machine COF (Dry, Leather condition)	\$ 200.00
ASTM D2859-06 Surface Flammability	\$ 35.00
ASTM D2863-09 Oxygen Index	Call For Quote
ASTM D297-09 Ash Content	\$ 50.00
ASTM D3389-05 Abrasion Resistance	\$ 45.00
ASTM D3389-05 Taber Abrasion DHRP (up to 5,000 cycles)	\$ 45.00
ASTM D3884-09 Abrasion Resistance (10,000 cycles)	\$ 45.00
ASTM D3884-09 Abrasion Resistance (200,000 cycles)	\$ 425.00
ASTM D3884-09 Abrasion Resistance 5,000 cycles or less	\$ 35.00
ASTM D3884-09 Abrasion Resistance 5,000 cycles or less w/measurement	\$ 45.00
ASTM D3884-09 Abrasion Resistance 55,000 cycles	\$ 135.00
ASTM D423-02a Standard Test Method for Sound Absorption and Sound Absorption Coefficients	\$ 1,100.00
ASTM D4355-06 Deterioration of Geotextiles by Exposure to Light	\$ 900.00
ASTM D4491-09 Water Permeability of Geotextiles	\$ 400.00
ASTM D4533-09 Tearing Strength - Trapezoid Procedure	\$ 35.00
ASTM D4632-08 Breaking Strength and Elongation	\$ 35.00
ASTM D5116 Modified Organic Emissions Testing	\$ 1,100.00
ASTM D635-06 Standard Test Method for Rate of Burning and or Extent and Time of Burning of S	\$ 175.00
ASTM E119-09c Fire Resistance Rating	Call For Quote
ASTM E1333 Chamber Emissions	\$ 200.00
ASTM E136 Behavior at 750°C	Call For Quote
ASTM E162-09 Test Method for Surface Flammability of Materials Using a RadiantHeat Energy S	\$ 475.00
ASTM E2179-09 Standard Test Method for Laboratory Measurement of the Effectiveness of Floor Coverings in Reducing Impact Sound Transmission	\$ 1,050.00
ASTM E492-09 Measurement of Impact Sound Transmission	\$ 1,100.00
ASTM E648-10 Critical Radiant Flux (New York)	\$ 20.00
ASTM E648-10 Critical Radiant Flux (Non-Carpet Specimen)	\$ 200.00
ASTM E648-10 Critical Radiant Flux (Over Pad)	\$ 200.00
ASTM E648-10 Critical Radiant Flux (Single Specimen Burn)	\$ 100.00
ASTM E662-09 Smoke Density (Flaming & Non-Flaming)	\$ 175.00
ASTM E662-09 Smoke Density (Flaming Only)	\$ 100.00
ASTM E84-10 Steiner Tunnel Test	\$ 650.00
ASTM E90-09 Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements	\$ 1,150.00
ASTM E96-05 Water Vapor Transmission (one orientation)	\$ 350.00
ASTM E970-08a Radiant Panel	Call For Quote
ASTM F1292-09 Impact Attenuation Single Temperature	\$ 275.00
ASTM F1292-09 Impact Attenuation Three Temperature	\$ 750.00
ASTM F150/ IBM/Burroughs/ NFPA 99	\$ 120.00
ASTM F2117 Vertical Rebound Characteristics	\$ 75.00
Berlin Artificial Athlete ( DIN 1803202)	\$ 400.00
Bioburden Testing	\$ 200.00

Bombardier SMP-800 C Toxic Gas Generation	\$ 800.00
California 117, A, Part 1 Flammability (Upholstery)	Call For Quote
California 117, Sec. C Flammability (Upholstery)	Call For Quote
California 117, Sec. D Flammability (Upholstery)	Call For Quote
California 117, Sec. E, Part 1 Flammability (Upholstery)	Call For Quote
CFR FF 4-72	\$ 150.00
Coefficient of Friction D 1894	\$ 120.00
Consultation in Field (\$2250/person/day+expenses)	\$ 2,250.00
Consultation In Laboratory (\$300/person/hour)	\$ 300.00
DOD-I-24688 Room Fire Test, Quarter Scale	Call For Quote
Heat Aging	\$ 15.00
IMO Part 5 Prescreen	\$ 2,000.00
ISO 105 B02 Lightfastness	\$ 50.00
Reflectance Values (xyz) of Textiles	\$ 100.00
Mullen Bursting Strength-Variou Methods	Call For Quote
NFPA 260 Upholstery Fabrics	Call For Quote
NFPA 701, Test 1 Standard tests for Flame Resistance	Call For Quote
NFPA 701, Test 2 Standard tests for Flame Resistance	Call For Quote
NFPA 99 Electrical Resistance-Healthcare	Call For Quote
pH	\$ 25.00
Planar Measurements After Varied Conditions	\$ 75.00
Plasticizer Analysis	\$ 650.00
Smoke Density (Flaming & Non-Flaming) 4 minute reports	\$ 20.00
Spectrophotometer Readings	\$ 25.00
ASTM D624 tear strength	\$ 40.00
Trapezoid Tearing Strength	\$ 35.00